

Manjushree Technopack Limited Corporate Office 2nd Floor, MBH Tech Park, 46,47, Hosur Road, Electronic City Phase II, Bangalore 560 100, Karnataka INDIA T : 91 80 4343 6200 E : info@manjushreeindia.com www.manjushreeindia.com

Preforms Division - Bidadi Plot No. 71 &72, Sector 2, Phase 2 Bidadi Industrial Area, Bangalore 562 109, Karnataka INDIA

Preforms Division - Pantnagar Plot No. 23, Sector 2, Integrated Industrial Area, Pantnagar 263 145, Uttaranchal INDIA

Preforms Division - Guwahati Village : Nizsindurighopa, Chowkigate, Changsari **Guwahati** 781 101 Assam INDIA

Preforms Division - Silvassa MTL New Initiatives Pvt. Ltd., Haveli Estate, Building - A&B, Survey No 121/26 Village Amil, Silvassa, Dadra & Nagar Haveli - 396230 101 Assam INDIA

Preforms Division - Vizag (Upcoming) Plot No.1 ,Block-G, Survey No.38,46-49 Part, Industrial Park, Gajuwaka, Visakhapatnam, Anakapalli, Andhra Pradesh, 530046 INDIA













Complete beverage packaging solutions


Manjushree Technopack Limited INDIA






- Unparalleled quality: High performance preforms and closures. Largest beverage manufacturers in India rely on us for seamless guality and peace of mind.
- Large portfolio across segments: We offer large portfolio of preforms and closures for most necks used in beverage segment. You don't have to look elsewhere for your preform and closures needs when you partner with us.
- Continuous innovation: MTL was first to launch large scale commercial capacity of PCO 1881 preforms in India. We are again first to launch large scale capacity of 32mm aseptic and 26/22 preforms in India.
- Assured supplies: Warehousing space and season pre-build of up to 20K MT of preforms and closures across plants. Preform or closures shortfall and business loss in season is the last worry for our regular customers - Peace of mind.
- We are South Asia's largest beverage packaging material manufacturer. End to end capability for beverage packaging - preforms, closures, shrink film and jars.
- Capacity of more than 100K MT per annum of PET conversion to preforms and more than 6 billion closures.
- We work with all major beverage manufacturers in the country. Largest supplier to both Coca-Cola and Pepsico in India.
- Country wide presence: Preform manufacturing capability at Bangalore, Pantnagar Visakhapatnam, Guwahati and closures manufacturing capability at Jalgaon.
- State-of-the-art of platform: Largest Husky platform in India and from other reputed OEM'S. Largest number of SACMI machines for closurs under one roof.
- We also offer state-of-the-art solution for bulk water manufacturing: 5 ltr, 10 ltr and 20 ltr jars, preforms, caps and handles.
- State-of-the-art Reifenhauser platform for shrink film.
- Our 5000 + customer and stock products serve customers across multiple segments.
- We successfully completed our management transition in 2019 and are now governed by professional board and management team.

Manufacturing Footprint Amritsar (2) Baddi (3)



MTL Story






Recycling Plant

Leveraging our wide product portfolio across pack type and fill volume



- Widest application offering (150ml 3000ml)
- HUSKY platform Highest Quality & Consistency
- All Necks for CSD Application





Closures	2.35, 2.5, 2.75		1.8
Vo l ume (ml)	Weight (gm)	Weight (gm)	Weight (gm)
150ml 200ml	9.8 10.5 11.5 12.0 13.0		9.9
200ml - 250m l	12.0 13.0	15.1 16.5	
300ml	14.7 15.9 16.0	17.8 17.5	13.0**
500ml	18.5 19.5 21.4	23.5 25.0 25.5 27.0	
600ml	22.2 23.0 25.1 25.7 27.1		20.5**
750ml	27.1 29.8 30.7		
1000ml 1500ml	30.7 31.9 32.5 34.7 37.7 45.5 46.7	36.0 39.0	44.0**
2000ml -2500ml	46.7 52.7	48.0	
3000ml	56.7		



- Widest application offering (250ml 1500ml)
- Offerings on both platforms, TN & PCO1881
- Aseptic 32mm preforms

2.10,






1 Thick Neck	28mm PCO 1810 Thick Neck	32mm 2 start Ase
2.20	2.75	2.4
eight m)	Weight (gm)	Weight (gm)

(gm)	(gm)	(gm)
		13.6
18.0	18.5	
22.4	23.8 27.0	
33.0**		
45.7	47.0	36.0**



- Widest application offering (200ml 2000ml)
- HUSKY platform Highest Quality & Consistency
- •All necks for water application





1.5, 1.35 Weight Weight Weight (gm) (gm) (gm) 9.5** 10.0 10.6 12.5 13.5 13.6 15.3 12.0 15.6 18.0 19.0 19.5 20.1 17.15 20.0 22.0 18.6 21.0 28.0 26.0 31.5 22.0 32.5 34.0 35.6 37.2






• Offering on both solutions CTC & NSN neck types • Application offering from (200ml -1000ml)

2610 SZ200 2Bmm Novel Short Neck 1.0	± 528.90 ± 523.40 9 ↓ 523.40 ↓	22.50 Birth NSR
1.0		
Weight (gm)	Weight (gm)	Weight (gm)
	10.0	8.5
8.0		
12.0	13.0 14.5 15.3	25.0
18.0 19.0	19.5 21.5 24.0	47.0

**Soon to be launched

PREFORMS AVAILABLE FROM BIDADI



11.40* 71.90


PCO 1881 | PCO 26/22

*Soon to be launched



Weight (gm)	Length (mm)
30.00	70.00
34.00	70.00
36.00	70.00

PREFORMS AVAILABLE FROM GUWAHATI




┏	–ø33.00 —∽
٢	∽ø27.43-~
┢	ø21.74 🚽
1¢	
Š	
1	
<u>ب</u>	+ ; · · · · · · · · · · · · · · · · · ·
m	m PCO 1810

Length

(mm)

80.55

80.55



Weight

(gm)

9.80

10.30

10.50

12.00

13.00

28mm PCO 1881

(mm)

66.00

66.00

66.00

76.35

76.35

	Ø32.00 Ø27.25 Ø22.00
22.50	


28mm ROPP with NSR Weight Length

Length (mm) 25.00 104.0

-ø30.8.0

—ø26.10-—ø22.00-

PREFORMS AVAILABLE FROM PANTNAGAR



28mm PCO 1810

Weight

-ø33.00-⊶ø27.40⊸ ø21.74 17.00 Weight

Length

(gm)	(mm)	
12.90	72.50	
25.00	19.80	
49.50	139.0	

	Ø33.00 ₽-Ø27.40-9 Ø20.35 ₽	
17.00		

Weight

(gm)

18.00


22.15

28mm PCO 1881 Thick Neck

Length

70.90

83.77



23.70


25.70

29.80

91.80 96.50

107.0

30.70 106.5



29/21 CTC Neck	
Length	
(mm)	
80.50	
83.00	
101.0	
101.0	
101.0	

—ø27.25 ⊷ø22.00-

22.50

-ø.3.3.00-

-ø27.40-€

ø20.35

28mm PCO 1881 Thick Neck

Length

(mm)


70.90

Weight

(qm)

18.00

Weight	Length
(gm)	(mm)
8.00	64.00
8.20	64.00
12.00	78.00
18.00	99.50
18.20	99.00
19.00	99.00



Weight

22.00

28mm ROPP with NSR

weight	Length	
(gm)	(mm)	
47.00	141.30	


	r≠ø25	5.10	
18.50	ul ha		
30/25 - 3-Start			

Length

(mm)

110.0

PREFORMS AVAILABLE FROM VISAKAPATNAM



12.90	¢31.00 ¢27.00 ¢21.74 ¢21.74 ¢21.74 ¢21.74 ¢21.74 ¢21.74 ¢27.00 ¢21.00 ¢27.00	
	Weight (gm)	Length (mm)
Г	9.90	69.00
	9.20	69.00




INNOVATION 32mm Aseptic / Cold Fill Preforms











- MTL Proudly announces launch of 32mm neck aseptic preforms. These preforms promise following advantages against 38mm neck :
- Vented slot for better blow-off performance like 38mm 2 Start.
- B-step like 38mm 3 Start neck
- Better drinking experience for small and as well as large pack with optimum bore diameter
- Cetie standard neck GME 30.36 uniform globe standard neck
- Proven performance and successful across markets, OEM and product
- Global brands moving from 38mm to 32mm

Closures for Beverage Industry

	WATER	
	27mm Alaska26mm NSN20Ltr1.5gm1gm11gm1.35gm	
	CSD	
Curea	25mmPCO-1881PCO-188126/221.8gm , 1.65gm2.75gm2.5gm (6 Design)1.8gmSingle Piece2 Piece2.35gm (13 Design)30.37GME	
	JUICE	
	25mmPCO-1881PCO-181028mm Hot Fill1.45gm, 1.55gm2.1gm2.7gm1810 - 2.75gmSingle Piece1881 - 2.2gm	
	ASEPTIC	
	32mm Aseptic38mm 2 Start38mm 3 Start2.5gm3.4gm3.0gm	
	SAUCE & HONEY <u>32mm Fliptop with TPE Valve</u> 10.5gm (Big) 4.0gm (Small)	
8-28		
	HEALTHCARE	
	25mm , 20mm Flip Top Caps 3.3gm / 1.9gm	

* We also have a wide variety of Injection molded closures in a variety of neck options. Please contact for more details.

Complementary Products



In a bid to fill in, every step of the supply chain in the packaging eco-system, we have stepped in to offer end-of line packaging solutions too. Introducing our brand new 3layer Collation Shrink Film line. From Reifenhäuser, Germany. The plant has been specifically customized for the most efficient productions of LD shrink film. This shrink film provides you with an opportunity to reduce your existing paper carton for lesser packaging cost, easy handling and great merchandising appeal. The high performance collation shrink film has been specifically developed, keeping in mind the extreme climatic conditions of India, vagaries of transportation and the need for extended durability.





Wrapping up your need



